



Technical Specification

Collection Name	Habitat
Yarn	PolyLux Synthetic Fibre Multi
Construction	Level Loop
Dyed Method	Solution Dyed
Gauge	1/10 inch
Stitches Per Inch	10 per inch
Pile Height	4.0 mm (+/-0.5 mm)
Total Height	8.0 mm (+/-0.5 mm)
Pile Weight	24 oz/sy (816 gm/sm)
Total Weight	143 oz/sy (4868 gm/sm +/- 300 gm/sm)
Primary Backing	Non-woven
Secondary Backing	Polyolefin Bac PRO
Packing	20 pcs(5 sm/box)
Colorfastness	Grade 5 - No Change (AATCC 16)
Flammability	Class I (ASTM E648)
Smoke Density	Passed (ASTM E662)
Static Propensity	≤3.5 kV (AATCC-134)
SGBC	Very Good


Installation Methods:



Ashlar



Brick




Monolithic


- * Specifications are based on average normal manufacturing tolerances, variations do not affect product performance. As with all quality carpets, slight variations in colors may occur from dye lot to dye lot.
- * Protective chair pads are recommended under office chairs with roller castors to preserve appearance retention and to avoid excessive wear.
- * As with all dyed products, colors are subject to dye lot variations.




Habitat (50 X 50 cm)




HAB301 Dusk




HAB302 Peninsula




HAB303 Moss



HAB304 Autumn



HAB401 Sterling



HAB402 Fountain



Monolithic



Collection
Item Name

Habitat
HAB304 Autumn



Monolithic



Collection
Item Name

Habitat
HAB302 Peninsula



Collection
Item Name

Habitat
HAB304 Autumn



Collection
Item Name

Habitat
HAB303 Moss